

Appendix D

Wind Coverage Analysis Output



All Weather Combined Runway (7-25 and 12-30) Wind Coverage at 10.5 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 10.50 10.50 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 91.26 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	74	353	153	1	1	0	0	0	0	0	582
2	96	365	193	15	2	0	0	0	0	0	671
3	66	424	235	23	0	0	0	0	0	0	748
4	84	386	366	43	3	0	0	0	0	0	882
5	86	426	446	101	2	0	0	0	0	0	1061
6	83	483	634	188	6	0	0	0	0	0	1394
7	94	513	691	289	24	1	0	0	0	0	1612
8	105	636	808	362	55	6	0	0	0	0	1972
9	122	553	730	343	45	6	0	0	0	0	1799
10	106	562	717	180	15	2	0	0	0	0	1582
11	102	512	599	102	5	1	0	0	0	0	1321
12	113	515	502	52	5	1	0	0	0	0	1188
13	94	521	386	55	5	2	1	0	0	0	1064
14	90	415	352	99	19	5	0	0	0	0	980
15	92	420	390	134	42	10	2	1	0	0	1091
16	93	449	495	202	81	28	7	9	0	0	1364
17	84	536	798	422	170	60	18	10	0	0	2098
18	95	588	1583	960	249	62	16	1	0	0	3554
19	91	661	2919	1919	190	48	6	1	0	0	5835
20	109	756	3907	2481	75	6	1	0	0	0	7335
21	91	655	2901	1679	43	9	0	0	0	0	5378
22	93	666	1952	1255	72	13	2	0	0	0	4053
23	89	557	1423	1224	173	25	1	0	0	0	3492
24	76	419	1058	1395	408	80	4	2	0	0	3442
25	74	384	857	1410	657	209	21	3	0	0	3615
26	69	353	721	1415	848	373	67	7	0	0	3853
27	62	326	719	1196	721	333	85	15	1	0	3458
28	56	314	669	1100	487	217	47	5	0	0	2895
29	52	314	798	909	235	66	14	0	0	0	2388
30	52	332	775	551	71	13	5	0	0	0	1799
31	61	356	745	290	17	2	0	0	0	0	1471
32	78	410	730	178	7	0	0	0	0	0	1403
33	82	421	590	123	1	0	0	0	0	0	1217
34	58	327	365	48	1	0	0	0	0	0	799
35	59	269	198	15	0	0	0	0	0	0	541
36	100	311	144	14	0	0	0	0	0	0	569
0	3972	0	0	0	0	0	0	0	0	0	3972
TOTAL:	7003	16488	31549	20773	4735	1578	297	54	1	0	82478

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

All Weather Combined Runway (7-25 and 12-30) Wind Coverage at 13 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 136.30 91.30 DEGREE
 CROSSWIND COMPONENT: 13.00 13.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 96.86 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	74	353	153	1	1	0	0	0	0	0	582
2	96	365	193	15	2	0	0	0	0	0	671
3	66	424	235	23	0	0	0	0	0	0	748
4	84	386	366	43	3	0	0	0	0	0	882
5	86	426	446	101	2	0	0	0	0	0	1061
6	83	483	634	188	6	0	0	0	0	0	1394
7	94	513	691	289	24	1	0	0	0	0	1612
8	105	636	808	362	55	6	0	0	0	0	1972
9	122	553	730	343	45	6	0	0	0	0	1799
10	106	562	717	180	15	2	0	0	0	0	1582
11	102	512	599	102	5	1	0	0	0	0	1321
12	113	515	502	52	5	1	0	0	0	0	1188
13	94	521	386	55	5	2	1	0	0	0	1064
14	90	415	352	99	19	5	0	0	0	0	980
15	92	420	390	134	42	10	2	1	0	0	1091
16	93	449	495	202	81	28	7	9	0	0	1364
17	84	536	798	422	170	60	18	10	0	0	2098
18	95	588	1583	960	249	62	16	1	0	0	3554
19	91	661	2919	1919	190	48	6	1	0	0	5835
20	109	756	3907	2481	75	6	1	0	0	0	7335
21	91	655	2901	1679	43	9	0	0	0	0	5378
22	93	666	1952	1255	72	13	2	0	0	0	4053
23	89	557	1423	1224	173	25	1	0	0	0	3492
24	76	419	1058	1395	408	80	4	2	0	0	3442
25	74	384	857	1410	657	209	21	3	0	0	3615
26	69	353	721	1415	848	373	67	7	0	0	3853
27	62	326	719	1196	721	333	85	15	1	0	3458
28	56	314	669	1100	487	217	47	5	0	0	2895
29	52	314	798	909	235	66	14	0	0	0	2388
30	52	332	775	551	71	13	5	0	0	0	1799
31	61	356	745	290	17	2	0	0	0	0	1471
32	78	410	730	178	7	0	0	0	0	0	1403
33	82	421	590	123	1	0	0	0	0	0	1217
34	58	327	365	48	1	0	0	0	0	0	799
35	59	269	198	15	0	0	0	0	0	0	541
36	100	311	144	14	0	0	0	0	0	0	569
0	3972	0	0	0	0	0	0	0	0	0	3972
TOTAL:	7003	16488	31549	20773	4735	1578	297	54	1	0	82478

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

All Weather Combined Runway (7-25 and 12-30) Wind Coverage at 16 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 136.30 91.30 DEGREE
 CROSSWIND COMPONENT: 16.00 16.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 99.56 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	74	353	153	1	1	0	0	0	0	0	582
2	96	365	193	15	2	0	0	0	0	0	671
3	66	424	235	23	0	0	0	0	0	0	748
4	84	386	366	43	3	0	0	0	0	0	882
5	86	426	446	101	2	0	0	0	0	0	1061
6	83	483	634	188	6	0	0	0	0	0	1394
7	94	513	691	289	24	1	0	0	0	0	1612
8	105	636	808	362	55	6	0	0	0	0	1972
9	122	553	730	343	45	6	0	0	0	0	1799
10	106	562	717	180	15	2	0	0	0	0	1582
11	102	512	599	102	5	1	0	0	0	0	1321
12	113	515	502	52	5	1	0	0	0	0	1188
13	94	521	386	55	5	2	1	0	0	0	1064
14	90	415	352	99	19	5	0	0	0	0	980
15	92	420	390	134	42	10	2	1	0	0	1091
16	93	449	495	202	81	28	7	9	0	0	1364
17	84	536	798	422	170	60	18	10	0	0	2098
18	95	588	1583	960	249	62	16	1	0	0	3554
19	91	661	2919	1919	190	48	6	1	0	0	5835
20	109	756	3907	2481	75	6	1	0	0	0	7335
21	91	655	2901	1679	43	9	0	0	0	0	5378
22	93	666	1952	1255	72	13	2	0	0	0	4053
23	89	557	1423	1224	173	25	1	0	0	0	3492
24	76	419	1058	1395	408	80	4	2	0	0	3442
25	74	384	857	1410	657	209	21	3	0	0	3615
26	69	353	721	1415	848	373	67	7	0	0	3853
27	62	326	719	1196	721	333	85	15	1	0	3458
28	56	314	669	1100	487	217	47	5	0	0	2895
29	52	314	798	909	235	66	14	0	0	0	2388
30	52	332	775	551	71	13	5	0	0	0	1799
31	61	356	745	290	17	2	0	0	0	0	1471
32	78	410	730	178	7	0	0	0	0	0	1403
33	82	421	590	123	1	0	0	0	0	0	1217
34	58	327	365	48	1	0	0	0	0	0	799
35	59	269	198	15	0	0	0	0	0	0	541
36	100	311	144	14	0	0	0	0	0	0	569
0	3972	0	0	0	0	0	0	0	0	0	3972
TOTAL:	7003	16488	31549	20773	4735	1578	297	54	1	0	82478

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

TWF_VMC_Combined@10.5.TXT

VMC Combined Runway (7-25 and 12-30) Wind Coverage at 10.5 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 10.50 10.50 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 91.07 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	70	338	151	1	1	0	0	0	0	0	561
2	87	352	192	15	2	0	0	0	0	0	648
3	61	406	232	23	0	0	0	0	0	0	722
4	78	367	358	42	3	0	0	0	0	0	848
5	79	405	435	100	2	0	0	0	0	0	1021
6	74	456	609	183	6	0	0	0	0	0	1328
7	85	480	650	275	23	1	0	0	0	0	1514
8	96	601	760	340	55	6	0	0	0	0	1858
9	108	510	694	322	45	5	0	0	0	0	1684
10	93	525	695	178	15	2	0	0	0	0	1508
11	91	489	579	101	5	1	0	0	0	0	1266
12	104	503	498	51	5	1	0	0	0	0	1162
13	91	511	386	54	5	2	1	0	0	0	1050
14	84	409	352	99	19	5	0	0	0	0	968
15	89	409	390	132	42	9	2	1	0	0	1074
16	87	441	494	197	80	25	7	9	0	0	1340
17	81	530	793	415	162	56	18	10	0	0	2065
18	91	573	1572	944	242	55	16	1	0	0	3494
19	89	646	2902	1902	185	46	6	1	0	0	5777
20	103	747	3888	2464	72	6	1	0	0	0	7281
21	88	645	2885	1667	43	9	0	0	0	0	5337
22	84	645	1928	1246	71	13	1	0	0	0	3988
23	84	535	1394	1207	170	24	1	0	0	0	3415
24	71	402	1025	1348	397	78	4	1	0	0	3326
25	71	358	820	1320	622	196	20	2	0	0	3409
26	63	324	662	1330	805	353	64	6	0	0	3607
27	52	302	674	1127	692	316	80	15	1	0	3259
28	53	283	622	1046	465	210	44	4	0	0	2727
29	44	291	759	890	230	61	13	0	0	0	2288
30	46	309	746	545	70	13	5	0	0	0	1734
31	53	338	734	288	17	2	0	0	0	0	1432
32	70	389	721	176	7	0	0	0	0	0	1363
33	76	410	583	123	1	0	0	0	0	0	1193
34	54	315	364	48	1	0	0	0	0	0	782
35	53	260	198	15	0	0	0	0	0	0	526
36	95	304	144	14	0	0	0	0	0	0	557
0	3540	0	0	0	0	0	0	0	0	0	3540
TOTAL:	6338	15808	30889	20228	4560	1495	283	50	1	0	79652

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

VMC Combined Runway (7-25 and 12-30) Wind Coverage at 13 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 13.00 13.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 96.80 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	70	338	151	1	1	0	0	0	0	0	561
2	87	352	192	15	2	0	0	0	0	0	648
3	61	406	232	23	0	0	0	0	0	0	722
4	78	367	358	42	3	0	0	0	0	0	848
5	79	405	435	100	2	0	0	0	0	0	1021
6	74	456	609	183	6	0	0	0	0	0	1328
7	85	480	650	275	23	1	0	0	0	0	1514
8	96	601	760	340	55	6	0	0	0	0	1858
9	108	510	694	322	45	5	0	0	0	0	1684
10	93	525	695	178	15	2	0	0	0	0	1508
11	91	489	579	101	5	1	0	0	0	0	1266
12	104	503	498	51	5	1	0	0	0	0	1162
13	91	511	386	54	5	2	1	0	0	0	1050
14	84	409	352	99	19	5	0	0	0	0	968
15	89	409	390	132	42	9	2	1	0	0	1074
16	87	441	494	197	80	25	7	9	0	0	1340
17	81	530	793	415	162	56	18	10	0	0	2065
18	91	573	1572	944	242	55	16	1	0	0	3494
19	89	646	2902	1902	185	46	6	1	0	0	5777
20	103	747	3888	2464	72	6	1	0	0	0	7281
21	88	645	2885	1667	43	9	0	0	0	0	5337
22	84	645	1928	1246	71	13	1	0	0	0	3988
23	84	535	1394	1207	170	24	1	0	0	0	3415
24	71	402	1025	1348	397	78	4	1	0	0	3326
25	71	358	820	1320	622	196	20	2	0	0	3409
26	63	324	662	1330	805	353	64	6	0	0	3607
27	52	302	674	1127	692	316	80	15	1	0	3259
28	53	283	622	1046	465	210	44	4	0	0	2727
29	44	291	759	890	230	61	13	0	0	0	2288
30	46	309	746	545	70	13	5	0	0	0	1734
31	53	338	734	288	17	2	0	0	0	0	1432
32	70	389	721	176	7	0	0	0	0	0	1363
33	76	410	583	123	1	0	0	0	0	0	1193
34	54	315	364	48	1	0	0	0	0	0	782
35	53	260	198	15	0	0	0	0	0	0	526
36	95	304	144	14	0	0	0	0	0	0	557
0	3540	0	0	0	0	0	0	0	0	0	3540
TOTAL:	6338	15808	30889	20228	4560	1495	283	50	1	0	79652

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

VMC Combined Runway (7-25 and 12-30) Wind Coverage at 16 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 16.00 16.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 99.56 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)									41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40			
1	70	338	151	1	1	0	0	0	0	0	561
2	87	352	192	15	2	0	0	0	0	0	648
3	61	406	232	23	0	0	0	0	0	0	722
4	78	367	358	42	3	0	0	0	0	0	848
5	79	405	435	100	2	0	0	0	0	0	1021
6	74	456	609	183	6	0	0	0	0	0	1328
7	85	480	650	275	23	1	0	0	0	0	1514
8	96	601	760	340	55	6	0	0	0	0	1858
9	108	510	694	322	45	5	0	0	0	0	1684
10	93	525	695	178	15	2	0	0	0	0	1508
11	91	489	579	101	5	1	0	0	0	0	1266
12	104	503	498	51	5	1	0	0	0	0	1162
13	91	511	386	54	5	2	1	0	0	0	1050
14	84	409	352	99	19	5	0	0	0	0	968
15	89	409	390	132	42	9	2	1	0	0	1074
16	87	441	494	197	80	25	7	9	0	0	1340
17	81	530	793	415	162	56	18	10	0	0	2065
18	91	573	1572	944	242	55	16	1	0	0	3494
19	89	646	2902	1902	185	46	6	1	0	0	5777
20	103	747	3888	2464	72	6	1	0	0	0	7281
21	88	645	2885	1667	43	9	0	0	0	0	5337
22	84	645	1928	1246	71	13	1	0	0	0	3988
23	84	535	1394	1207	170	24	1	0	0	0	3415
24	71	402	1025	1348	397	78	4	1	0	0	3326
25	71	358	820	1320	622	196	20	2	0	0	3409
26	63	324	662	1330	805	353	64	6	0	0	3607
27	52	302	674	1127	692	316	80	15	1	0	3259
28	53	283	622	1046	465	210	44	4	0	0	2727
29	44	291	759	890	230	61	13	0	0	0	2288
30	46	309	746	545	70	13	5	0	0	0	1734
31	53	338	734	288	17	2	0	0	0	0	1432
32	70	389	721	176	7	0	0	0	0	0	1363
33	76	410	583	123	1	0	0	0	0	0	1193
34	54	315	364	48	1	0	0	0	0	0	782
35	53	260	198	15	0	0	0	0	0	0	526
36	95	304	144	14	0	0	0	0	0	0	557
0	3540	0	0	0	0	0	0	0	0	0	3540
TOTAL:	6338	15808	30889	20228	4560	1495	283	50	1	0	79652

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

TWF_IMC_Combined@10.5.TXT

IMC Combined Runway (7-25 and 12-30) Wind Coverage at 10.5 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 10.50 10.50 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 96.63 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)								41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40		
1	4	15	2	0	0	0	0	0	0	21
2	9	13	1	0	0	0	0	0	0	23
3	5	18	3	0	0	0	0	0	0	26
4	6	19	8	1	0	0	0	0	0	34
5	7	21	11	1	0	0	0	0	0	40
6	9	27	25	5	0	0	0	0	0	66
7	9	33	41	14	1	0	0	0	0	98
8	9	35	48	22	0	0	0	0	0	114
9	14	43	36	21	1	0	0	0	0	115
10	13	37	22	2	0	0	0	0	0	74
11	11	23	20	1	0	0	0	0	0	55
12	9	12	4	1	0	0	0	0	0	26
13	3	10	1	0	0	0	0	0	0	14
14	6	6	0	0	0	0	0	0	0	12
15	3	11	2	1	0	0	0	0	0	17
16	6	8	1	5	1	3	0	0	0	24
17	3	6	5	7	8	4	0	0	0	33
18	4	15	11	16	7	7	0	0	0	60
19	2	15	17	17	5	2	0	0	0	58
20	6	9	19	17	3	0	0	0	0	54
21	3	10	16	12	0	0	0	0	0	41
22	9	21	24	9	1	1	0	0	0	65
23	5	22	29	17	3	1	0	0	0	77
24	5	17	33	47	11	2	1	0	0	116
25	3	26	37	90	35	13	1	1	0	206
26	6	29	59	85	43	20	3	1	0	246
27	10	24	45	69	29	17	5	0	0	199
28	3	31	47	54	22	7	3	1	0	168
29	8	23	39	19	5	5	1	0	0	100
30	6	23	29	6	1	0	0	0	0	65
31	8	18	11	2	0	0	0	0	0	39
32	8	21	9	2	0	0	0	0	0	40
33	6	11	7	0	0	0	0	0	0	24
34	4	12	1	0	0	0	0	0	0	17
35	6	9	0	0	0	0	0	0	0	15
36	5	7	0	0	0	0	0	0	0	12
0	432	0	0	0	0	0	0	0	0	432
TOTAL:	665	680	663	543	176	82	14	3	0	2826

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

IMC Combined Runway (7-25 and 12-30) Wind Coverage at 13 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 13.00 13.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 98.51 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)								41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40		
1	4	15	2	0	0	0	0	0	0	21
2	9	13	1	0	0	0	0	0	0	23
3	5	18	3	0	0	0	0	0	0	26
4	6	19	8	1	0	0	0	0	0	34
5	7	21	11	1	0	0	0	0	0	40
6	9	27	25	5	0	0	0	0	0	66
7	9	33	41	14	1	0	0	0	0	98
8	9	35	48	22	0	0	0	0	0	114
9	14	43	36	21	1	0	0	0	0	115
10	13	37	22	2	0	0	0	0	0	74
11	11	23	20	1	0	0	0	0	0	55
12	9	12	4	1	0	0	0	0	0	26
13	3	10	1	0	0	0	0	0	0	14
14	6	6	0	0	0	0	0	0	0	12
15	3	11	2	1	0	0	0	0	0	17
16	6	8	1	5	1	3	0	0	0	24
17	3	6	5	7	8	4	0	0	0	33
18	4	15	11	16	7	7	0	0	0	60
19	2	15	17	17	5	2	0	0	0	58
20	6	9	19	17	3	0	0	0	0	54
21	3	10	16	12	0	0	0	0	0	41
22	9	21	24	9	1	1	0	0	0	65
23	5	22	29	17	3	1	0	0	0	77
24	5	17	33	47	11	2	1	0	0	116
25	3	26	37	90	35	13	1	1	0	206
26	6	29	59	85	43	20	3	1	0	246
27	10	24	45	69	29	17	5	0	0	199
28	3	31	47	54	22	7	3	1	0	168
29	8	23	39	19	5	5	1	0	0	100
30	6	23	29	6	1	0	0	0	0	65
31	8	18	11	2	0	0	0	0	0	39
32	8	21	9	2	0	0	0	0	0	40
33	6	11	7	0	0	0	0	0	0	24
34	4	12	1	0	0	0	0	0	0	17
35	6	9	0	0	0	0	0	0	0	15
36	5	7	0	0	0	0	0	0	0	12
0	432	0	0	0	0	0	0	0	0	432
TOTAL:	665	680	663	543	176	82	14	3	0	2826

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.

IMC Combined Runway (7-25 and 12-30) Wind Coverage at 16 Knots

STATION: 72586, Period of Record 2000-2009
 RUNWAY ORIENTATION: 91.30 136.30 DEGREE
 CROSSWIND COMPONENT: 16.00 16.00 KNOTS
 TAILWIND COMPONENT: 60.00 60.00 KNOTS
 WIND COVERAGE: 99.52 %

DIRECTION	HOURLY OBSERVATIONS OF WIND SPEED (KNOTS)								41 OVER	TOTAL
	0-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40		
1	4	15	2	0	0	0	0	0	0	21
2	9	13	1	0	0	0	0	0	0	23
3	5	18	3	0	0	0	0	0	0	26
4	6	19	8	1	0	0	0	0	0	34
5	7	21	11	1	0	0	0	0	0	40
6	9	27	25	5	0	0	0	0	0	66
7	9	33	41	14	1	0	0	0	0	98
8	9	35	48	22	0	0	0	0	0	114
9	14	43	36	21	1	0	0	0	0	115
10	13	37	22	2	0	0	0	0	0	74
11	11	23	20	1	0	0	0	0	0	55
12	9	12	4	1	0	0	0	0	0	26
13	3	10	1	0	0	0	0	0	0	14
14	6	6	0	0	0	0	0	0	0	12
15	3	11	2	1	0	0	0	0	0	17
16	6	8	1	5	1	3	0	0	0	24
17	3	6	5	7	8	4	0	0	0	33
18	4	15	11	16	7	7	0	0	0	60
19	2	15	17	17	5	2	0	0	0	58
20	6	9	19	17	3	0	0	0	0	54
21	3	10	16	12	0	0	0	0	0	41
22	9	21	24	9	1	1	0	0	0	65
23	5	22	29	17	3	1	0	0	0	77
24	5	17	33	47	11	2	1	0	0	116
25	3	26	37	90	35	13	1	1	0	206
26	6	29	59	85	43	20	3	1	0	246
27	10	24	45	69	29	17	5	0	0	199
28	3	31	47	54	22	7	3	1	0	168
29	8	23	39	19	5	5	1	0	0	100
30	6	23	29	6	1	0	0	0	0	65
31	8	18	11	2	0	0	0	0	0	39
32	8	21	9	2	0	0	0	0	0	40
33	6	11	7	0	0	0	0	0	0	24
34	4	12	1	0	0	0	0	0	0	17
35	6	9	0	0	0	0	0	0	0	15
36	5	7	0	0	0	0	0	0	0	12
0	432	0	0	0	0	0	0	0	0	432
TOTAL:	665	680	663	543	176	82	14	3	0	2826

REFERENCE: Appendix 1 of AC 150/5300-13, Airport Design, including Changes 1 through 4.